

Amasis Orderform / Måleskema

Fill in and mail to Wolturnus - Udfyld og send til Wolturnus

Technical modifications and printing errors reserved / Tekniske ændringer og trykfejl forbeholdt

© Wolturnus A/S OF Amasis EN-DK 2020 V2.0


	Kg.
	cm.




351000001000		
889700000035		

619000002109		
619000002209		
619000003109		
619000002409		
619000002509		
619000002609		
619000002709		
619000002809		

619000003009		



Amasis Original Frame			
	!	SW-t: Seat Width at Top	SW-t: _____ cm
	!	SW-b: Seat Width at Bottom	SW-b: _____ cm
	!	A: Axle Length (std. 130cm)	A: _____ cm
	!	C: Camber of Rear Axle (std. 11°)	C°: _____
	!	RA: Rear axle Position (std. 16cm)	RA: _____ cm
	!	SD: Seat Depth (not adjustable) (std. 40cm)	SD: _____ cm
	!	SH-r: Seat Height Rear (std. 40cm)	SH-r: _____ cm
	!	SH-f: Seat Height Front (std. SH-r +5cm)	SH-f: _____ cm
		Straight seat	-
		ES: Ergo Seat (std. 12cm)	ES: _____ cm
		Cage at front (recommened)(std.)	CL: _____ cm
		No Cage	CH: _____ cm
		S: Strap placement (std. 5cm)	S: _____ cm
	!	BD: Backrest Depth (std. 5cm)	BD: _____ cm
954599990060		Std. Footrest (FRD 17cm, FRW 30cm) includes slots for straps, bend edges not posible	
829999020002		Custom footrest	FRD: _____ cm
829919000060		Custom footrest w/ straps	FRW: _____ cm
829999012001		Bend Edge on footplate at front (Height)	HE: _____ cm
		Bend Edge on footplate at rear (Height)	
	!	FRB: Footrest to backrest position (std. 32cm)	FRB: _____ cm
	!	FRH-1: Footrest Height Front (std. 6cm)	FRH-1: _____ cm
	!	FRH-2: Footrest Height Rear (std. 7cm)	FRH-2: _____ cm
	!	MG: Mudguard Height (std. 42cm)	MG: _____ cm



Amasis Kneeling Frame			
	!	SW-t: Seat Width at Top	SW-t: _____ cm
	!	SW-b: Seat Width at Bottom	SW-b: _____ cm
889700000004	!	A: Axel Length (std. 130cm)	A: _____ cm
	!	C: Camber of Rear Axle (std. 18)	C: _____ cm
	!	RA: Rear axle Position (std. 16cm)	RA: _____ cm
		ORA: Offset Rearaxle (Rearwards +)/(Forward -)	ORA: _____ cm
	!	SD: Seat Depth (not adjustable) (std. 40cm)	SD: _____ cm
	!	SH-r: Seat Height Rear (std. 45cm)	SH-r: _____ cm
	!	SH-f: Seat Height Front (std. SF-f = SH-r)	SH-f: _____ cm
		Cage at front (recommended)(std.)	CL: _____ cm
		No Cage	CH: _____ cm
		S: Strap placement (std. 5cm)	S: _____ cm
	!	BD: Backrest Depth (std. 5cm)	BD: _____ cm
	!	LB: Footrest to backrest position (std. 32cm)	LB: _____ cm
	!	KW: Knee Width	KW: _____ cm
	!	AW: Angle Width	AW: _____ cm
	!	LH-r: Leg Height Rear	LH-r: _____ cm
	!	LH-f: Leg Height Front	LH-f: _____ cm
	!	MG: Mudguard Height (std. 42cm)	MG: _____ cm

! Amasis Wheel Selection			
	20"	Front Wheel	
966220018001		Vittoria	
889700000???		Corima	
	26"	28"	Rear Wheels for Amasis
9662282300??			Schwalbe One (571/622) std.
889700000???			Corima 4 Spoke
889700000???			Corima Disc
Custom:			
Please Select one!			Rear Axle (screwed in) std.
			W-Rex Rear Axle (25mm)
	26"	28"	Extra set spare wheels
8510??2010??			Schwalbe One (571/622)
889700000???			Corima 4 Spoke
889700000???			Corima Disc
! General Frame Details			
		Brake Level: _____ Other: _____	
Please Select one!	Kompensator on top		
	Kompensator on bottom		
955000021000	Small maintube (Max SW 30)		
955000021001	Big maintube (std.)		
955000021002	Small maintube (Max SW 30) Curved		
955000021003	Big maintube Curved		
889700000040 889700000049	Custom Pushrims: (std. size 328, 368, 392)		Other: _____
	Distance Pushrim: (std. 5, 10, 15)		Other: _____
! Upholstery Details			
	Seperat seat/backrest upholstery (Std.) One piece seat/backrest upholstery		
	No Velcro straps on seat cover (std.) Velcro strap on seat cover for cushion		
725000001009	Carbon seat		
750000009000	Cushion depth (3cm grey hard foam)		Depth: _____
7670000000??	3mm Neopren for kneetray 10mm Neopren for kneetray 20mm Neopren for kneetray		

Custom-solution / *Specialløsning*

Description / *Beskrivelse*

Drawing / *Tegning*



WOLTURNUS

Kundeservice/Customer Service

Wolturnus A/S
Skalhuse 31
9240 Nibe

Phone/Telefon: +45 96 71 71 70
www.wolturnus.dk
Mail: ordre@wolturnus.dk

Produktion/Production

Wolturnus A/S
Halkjærvej 24B
9240 Nibe